

SECRET/NOFORN

PROJECT SUN STREAK

WARNING NOTICE: INTELLIGENCE SOURCES AND METHODS INVOLVED

PROJECT NUMBER: 5207

SESSION NUMBER: 2

DATE OF SESSION: 890104

DATE OF REPORT: 890105

START: 1335

END: 1400

METHODOLOGY: CRV

VIEWER IDENTIFIER: 032

SG1B

1. (S/NF/SK) MISSION: Access and describe in training target #5207, [REDACTED]

2. (S/NF/SK) VIEWER TASKING: Encrypted coordinates 886474/431838. The cue "area A" refers to the main building. The cue "area B" refers to the area with the 4 cylindrical structures.

3. (S/NF/SK) COMMENTS: Excellent session. 032 developed an almost stage 6 dimensional contact with the site. His "I's" were good and appropriately complex. Sketching was excellent (see pp. 3 and 7). Stage 7 was unsuccessful.

4. EVALUATION: 4.

HANDLE VIA SKEET CHANNELS ONLY  
SPECIAL ACCESS REQUIRED

SECRET/NOFORN

CLASSIFIED BY: DIA (DT)  
DECLASSIFY ON: OADR

SESSION SUMMARY  
(SUMM 17)

VIEWER #032  
DATE: 4 JAN 89  
START TIME: 1335  
END TIME: 1400

Site consists of six to eight cylindrical structures arranged in a pattern (see pages 2 and 4). These structures are constructed of steel and concrete. They are partially above ground and there is a significant portion of them (cubic in shape) below ground. There is a presence of glass, wire and cables in the area, and the area seems to be deserted. The surrounding area is barren.

These structures are fairly large -- they are tall relative to the height of a man (see page 3), and there is an opening at the top of each. The structures are situated so that the outlying cylindrical structures support the main release point structure (see page 4). These structures concentrate energy and power and transfer it to the main release point where it is released in concentrated form. A-1

This energy form can be used for burning, explosions, or cutting, among other things. The energy is a pulsating, and surging in a circular motion around something.

The main release point structure is similar yet different than the others. There are two of these structures. They are designed as a series of stacked cylinders that are gradually diminishing in diameter (see page 6 and 7). From the surface or above the site, this main release point appears to be cylindrical but below the surface it is cubic in shape.

886474  
431835

Approved For Release 2001/03/07 : CIA-RDP96-00789R001300200002-4

NO - none  
PI - yes/  
TIRED


032  
4 JAN 89  
1335L

SZ D DI VEI T I AOC AS

[ARMA B]

✓  
Angles  
PITS  
Holes  
steep  
verticals  
narrow  
hollow  
TUBE  
cones  
Boxes.

metal  
Puels



Σ

SZ

5

AZ


FZ

T

I

AOL AS

[2000' up]



SZ

D

AL

EI

T

I

AS

AS

[Name B]

Rails

Concrete

Steel

Cables


Wire

GLASS

Barren

~~Barren~~

Sealed



4

52

AI

AI

FI

T


I

AOL

AS

AOL SIGMA  
ROLLS - LONG  
CONCRETE  
& STEEL TUBE  
LAUNCH  
SITE  
AOL

SH<sup>1</sup>/<sub>2</sub> There are six or EIGHT of these  
OBJECTS.




Flame  
Pressure.

AOL SIG  
ROADS OR  
TUBES

AT 2nd  
makes areful  
with the on the  
Reentry end of a  
Zed of blast

AOL  
Rocket  
engine  
DE BRICK  
M



STORABLE

High  
Energy  
RotatingDOC like  
A Rotary  
Engine

Explosion  
Heat  
Surge  
Palastine  
Power  
Surging  
Light -  
Attenuating  
Firing


54 1/2

Others: force  
Rotates pallets  
gate strong the  
discharged from  
main release  
port

54 1/2 each of the outlying ~~objects~~ cylindrical  
structures supports the main release  
point larger -- MRP is different than  
O.S. It is ~~like~~ a series  
of stacked cylinders  
gradually diminishing in  
diameter - Inside a -  
outwardly cylindrical  
structure but cubic  
below crown







STAGE 7.

SLA DOR FEN

STU GUH JPR

END. 1400.

SG1A

Approved For Release 2001/03/07 : CIA-RDP96-00789R001300200002-4

Approved For Release 2001/03/07 : CIA-RDP96-00789R001300200002-4